

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 Printing date 15.03.2024 Version number 3 Revision: 30.10.2023 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: IBS-Wartungsöl MultiFix · Article number: 2050044 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Lubricating oil · Uses advised against No further relevant information available. · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: IBS Scherer GmbH Gewerbegebiet D-55599 GAU-BICKELHEIM Germany www.ibs-scherer.de · Further information obtainable from: Tel.: +49 (0) 6701 / 93 83 - 0 Fax: +49 (0) 6701 / 93 83 -33 info@ibs-scherer.de 1.4 Emergency telephone number: National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service) Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. Aerosol 1 Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Hazard pictograms GHS02 · Signal word Danger · Hazard-determining components of labelling: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. Buildup of explosive mixtures possible without sufficient ventilation. 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable.

· vPvB: Not applicable.

GB

Version number 3

Revision: 30.10.2023

Trade name: IBS-Wartungsöl MultiFix

(Contd. of page 1)

Dangerous components:		
EC number: 918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	50-<75%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32-xxxx	butane, pure 🚸 Flam. Gas 1A, H220; Press. Gas (Comp.), H280	10-25%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-xxxx	propane	2.5-10%
CAS: 68411-46-1 EINECS: 270-128-1 Reg.nr.: 01-2119491299-23	Benzolamin, N-Phenyl-, Reaktionsprodukte mit 2,4,4-Trimethylpenten	≤2.5%
CAS: 192268-65-8 ELINCS: 421-820-9 Index number: 607-501-00-9 Reg.nr.: 01-2119480426-35	reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	≤2.5%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Can form explosive gas-air mixtures.
- 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Keep away from ignition sources. Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away. 6.2 Environmental precautions: Prevent from spreading (e.g. by damming-in or oil barriers). Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Remove from the water surface (e.g. skim or suck off). Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 3)

GB

Version number 3

Revision: 30.10.2023

Trade name: IBS-Wartungsöl MultiFix

(Contd. of page 2)

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Information about fire - and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Observe official regulations on storing packagings with pressurised containers. Prevent any seepage into the ground. Information about storage in one common storage facility: Not required. Further information about storage conditions: Protect from heat and direct sunlight. Protect from frost. Storage class: 10 7.3 Specific end use(s) No further relevant information available.
SECTION 8: Exposure controls/personal protection
 8.1 Control parameters Additional information about design of technical facilities: No further data; see section 7.
· Ingredients with limit values that require monitoring at the workplace:
106-97-8 butane, pure
WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)
· Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection: Not necessary if room is well-ventilated.

· Protection of hands:



Protective gloves

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

Recommended thickness of the material: \geq 0.35 mm

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Not required.

9.1 Information on basic physical a General Information	nd chemical properties	
Appearance:		
Form:	Aerosol	
Colour:	Yellow tint	
Odour:	Pleasant	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	-187.6 °C	
Initial boiling point and boiling ra	nge: Not applicable, as aerosol.	
Flash point:	Not applicable, as aerosol.	
Flammability (solid, gas):	Not applicable.	

Version number 3

Revision: 30.10.2023

Trade name: IBS-Wartungsöl MultiFix

	(Contd. of page
Auto-ignition temperature:	>200 °C
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	0.6 Vol %
Upper:	15 Vol %
Vapour pressure at 20 °C:	4,200 hPa
Density at 20 °C:	~0.735 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not determined.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	53.9-<93.3 %
Solids content:	0.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
 Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Aldehyde

SECTION 11: Toxicological information

 \cdot 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

	anues ren	evant for classification.
Hydrocarl	bons, C10	-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	>5,000 mg/l (rat)
106-97-8 k	outane, pu	re
Inhalative	LC50/4 h	658 mg/l (rat)
68411-46-	1 Benzola	min, N-Phenyl-, Reaktionsprodukte mit 2,4,4-Trimethylpenten
Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
192268-65	i-8 reactio	n mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Serious e Respirato Additiona CMR effec Germ cell Carcinoge Reproduc STOT-sing	osion/irrita ye damag ry or skin I toxicolog ets (carcin mutagen enicity Bas tive toxici gle expos	ct: ation Based on available data, the classification criteria are not met. e/irritation Based on available data, the classification criteria are not met. sensitisation Based on available data, the classification criteria are not met. gical information: ogenity, mutagenicity and toxicity for reproduction) icity Based on available data, the classification criteria are not met. sed on available data, the classification criteria are not met. ity Based on available data, the classification criteria are not met. ity Based on available data, the classification criteria are not met. osure Based on available data, the classification criteria are not met.

Version number 3

Revision: 30.10.2023

(Contd. of page 4)

Trade name: IBS-Wartungsöl MultiFix

Aspiration hazard
 May be fatal if swallowed and enters airways.

SECTIO	N 12: Ecological information	
· 12.1 Toxic	citv	
· Aquatic to	-	
-	1 Benzolamin, N-Phenyl-, Reaktionspro	dukte mit 2.4.4-Trimethylpenten
	>100 mg/l (fish) (OECD 203)	
		phate and tertiary butylated phenyl derivatives
NOEC	>100 mg/l /3 d (Alg)	
NOLO	0.044 mg/l /87 d (fish)	
ECE0/49 6		
	n >100 mg/l (daphnia)	
	>100 mg/l (fish) istence and degradability No further rele	
 12.4 Mobi. Additiona General n 12.5 Resu PBT: Not a vPvB: Not 	Its of PBT and vPvB assessment applicable.	available. rge quantities of it to reach ground water, water course or sewage system.
SECTIO	N 13: Disposal considerations	
 Waste dis Die Abfalls ein Produk Uncleaned 	posal key: schlüsselnummer nach der Abfallverzeich	vith household garbage. Do not allow product to reach sewage system. nnis-Verordnung (AVV) ist abhängig vom Abfallerzeuger und kann dadurch für Inummer ist daher von jedem Abfallerzeuger gesondert zu ermitteln. ng to official regulations.
	N 14: Transport information	
· 14.1 UN-N · ADR, IMD		UN1950
	roper shipping name	
· ADR · IMDG		1950 AEROSOLS
		AEROSOLS AEROSOLS, flammable
	sport hazard class(es)	
ADR	•	
· Class · Label		2 5F Gases. 2.1
· Laber · IMDG, IAT	ΓA >	2.1
· Class · Label		2.1 Gases. 2.1
· 14.4 Pack · ADR, IMD		Void
· 14.5 Envir · Marine po	ronmental hazards: ollutant:	No
•	ial precautions for user	Warning: Gases.

ĠВ

Version number 3

Revision: 30.10.2023

Trade name: IBS-Wartungsöl MultiFix

	(Contd. of page
Hazard identification number (Kemler code):	-
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre
	Category A. For AEROSOLS with a capacity above 1 litre
	Category B. For WASTE AEROSOLS: Category C, Clear of living
	quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre:
	Segregation as for class 9. Stow "separated from" class 1 exception
	for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
14.7 Transport in bulk according to Annex II of I	Marpol and
the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
• • • • •	Not permitted as Excepted Quantity

SECTION 15: Regulatory information

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

- H361d Suspected of damaging the unborn child.
- H361f Suspected of damaging fertility.

H413 May cause long lasting harmful effects to aquatic life.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAC: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

Version number 3

Revision: 30.10.2023

(Contd. of page 6)

GB

Trade name: IBS-Wartungsöl MultiFix

GHS: Globally Ha	rmonised System of Classification and	Labelling of Chemicals	
	n Inventory of Existing Commercial Ch		
	n List of Notified Chemical Substances		
CAS: Chemical A	ostracts Service (division of the America	an Chemical Society)	
LC50: Lethal con	entration, 50 percent		
LD50: Lethal dos	e, 50 percent		
PBT: Persistent, I	Bioaccumulative and Toxic		
vPvB: very Persis	tent and very Bioaccumulative		
Flam. Gas 1A: Fla	mmable gases – Category 1A		
Aerosol 1: Aeroso	ls – Category 1		
Press. Gas (Com	o.): Gases under pressure – Compress	ed gas	
Repr. 2: Reprodu	ctive toxicity – Category 2		
Repr. 2: Reprodu	ctive toxicity – Category 2		
Asp. Tox. 1: Aspir	ation hazard – Category 1		
Aquatic Chronic 4	: Hazardous to the aquatic environmen	t - long-term aquatic hazard – Category 4	
* Data comp	ared to the previous version	n altered	