according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88 50ml und 125 ml D lose Neu

Revision date: 26.01.2021

Product code: 1101071

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ABUS Pflegespray PS88 50ml und 125 ml D lose Neu

UFI:

0Y61-V0UH-K006-60FA

Altenhofer Weg 25 D-58300 Wetter +49 (0) 2335 6340

info@abus.de

ABUS August Bremicker Söhne KG

111 NHS (National Health Service)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant

1.3. Details of the supplier of the safety data sheet

Company name:
Street:
Place:
Telephone:
e-mail (Contact person):
Emorgonov tolonhono

Telefax: +49 (0) 2335 634316

1.4. Emergency telephone

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1 Aspiration hazard: Asp. Tox. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

Danger

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

Signal word:

Pictograms:



Hazard statements

H222	Extremely flammable aerosol.			
H229	Pressurised container: May burst if heated.			
H336	May cause drowsiness or dizziness.			
H412	Harmful to aquatic life with long lasting effects.			
recautionary statements				

Precautionary statements

P102	Keep out of reach of children.
------	--------------------------------

P101 If medical advice is needed, have product container or label at hand. P210

according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88 50ml und 125 ml D lose Neu

Revision date: 26.01.2021	Product code: 1101071	Page 2 of 13
	smoking.	
P211	Do not spray on an open flame or other ignition source.	
P251	Do not pierce or burn, even after use.	
P261	Avoid breathing spray.	
P271	Use only outdoors or in a well-ventilated area.	
P273	Avoid release to the environment.	
P280	Wear protective gloves.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P312	Call a POISON CENTER/doctor if you feel unwell.	
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	
P501	Dispose of contents/container according to the official regulations.	

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	•	
1174921-73-3	Hydrocarbons, C9-C10, n-alkanes,	, isoalkanes, cyclics, <2%	aromatics	25 - < 50 %
	927-241-2		01-2119471843-32	
	Flam. Liq. 3, STOT SE 3, Asp. Tox	. 1, Aquatic Chronic 3; H2	26 H336 H304 H412 EUH066	
75-28-5	isobutane			25 - < 50 %
	200-857-2	601-004-00-0	01-2119485395-27	
	Flam. Gas 1, Liquefied gas; H220	H280	*	
64742-48-9	Naphtha Petroleum Hydro treated Heavy			5 - < 10 %
	918-481-9		01-2119457273-39	
	Asp. Tox. 1; H304 EUH066			
74-98-6	propane			3 - < 5 %
	200-827-9	601-003-00-5	01-2119486944-21	
	Flam. Gas 1, Liquefied gas; H220			
106-97-8	butane			1 - < 3 %
	203-448-7	601-004-00-0	01-2119474691-32	
	Flam. Gas 1, Liquefied gas; H220			
1471316-72-9	Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts			0.1 - < 1 %
	939-603-7		01-2119978241-36	
	Skin Sens. 1B; H317		·	

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88 50ml und 125 ml D lose Neu

Revision date: 26.01.2021

Product code: 1101071

Page 3 of 13

CAS No	EC No	Chemical name	Quantity
CASINO	-		Quantity
	Specific Conc.	Limits, M-factors and ATE	
1174921-73-3	927-241-2	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	25 - < 50 %
	inhalation: LC5 mg/kg	50 = > 4951 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 15000	
75-28-5	200-857-2	isobutane	25 - < 50 %
	inhalation: LC5	0 = 1237 mg/l (vapours)	
64742-48-9	918-481-9	Naphtha Petroleum Hydro treated Heavy	5 - < 10 %
	inhalation: LC5 mg/kg	0 = 4951 mg/l (vapours); dermal: LD50 = >3160 mg/kg; oral: LD50 = >8000	
106-97-8	203-448-7	butane	1 - < 3 %
	inhalation: LC5	50 = 658 ppm (gases)	
1471316-72-9	939-603-7	Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts	0.1 - < 1 %
	dermal: LD50 = 10 - 100	= > 2000 mg/kg; oral: LD50 = > 10000 - < 20000 mg/kg	

Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons, perfumes.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high

according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88 50ml und 125 ml D lose Neu

Revision date: 26.01.2021

Product code: 1101071

Page 4 of 13

concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Danger of bursting container.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Protect from frost. Protect from direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

No information available.

according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88 50ml und 125 ml D lose Neu

Revision date: 26.01.2021

Product code: 1101071

Page 5 of 13

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
1174921-73- 3	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics					
Worker DNEL,	long-term	inhalation	systemic	871 mg/m³		
Worker DNEL,	long-term	dermal	systemic	77 mg/kg bw/day		
Consumer DNE	EL, long-term	inhalation	systemic	185 mg/m³		
Consumer DNE	EL, long-term	dermal	systemic	46 mg/kg bw/day		
Consumer DNE	EL, long-term	oral	systemic	46 mg/kg bw/day		
1471316-72- 9	Benzenesulfonic acids, di-C10-14-alkyl derivatives, calciun	n salts				
Worker DNEL,	long-term	inhalation	systemic	35,26 mg/m ³		
Worker DNEL,	long-term	dermal	systemic	25 mg/kg bw/day		
Worker DNEL,	acute	dermal	local	1,04 mg/cm ²		
Consumer DNE	EL, long-term	inhalation	systemic	8,7 mg/m³		
Consumer DNE	EL, long-term	dermal	systemic	12,5 mg/kg bw/day		
Consumer DNE	EL, acute	dermal	local	0,518 mg/cm ²		
Consumer DNE	EL, long-term	oral	systemic	2,5 mg/kg bw/day		
PNEC values						
CAS No	Substance					

0/10/10				
Environmental	invironmental compartment Value			
1471316-72- Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts 9				
Freshwater 0,1 mg/l				
Freshwater (intermittent releases) 1 mg/l				
Marine water		0,1 mg/l		
Freshwater sediment 45211 mg/kg		45211 mg/kg		
Marine sedimer	nt	45211 mg/kg		
Micro-organisms in sewage treatment plants (STP) 1000 mg.				
Soil		36739,74 mg/kg		

Additional advice on limit values

- a no restriction
- b End of exposure or end of shift
- c at long-term exposure:
- d before next shift

according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88 50ml und 125 ml D lose Neu

Revision date: 26.01.2021

Product code: 1101071

Page 6 of 13

blood (B) Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min Thickness of the glove material 0,45 mm EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: AX Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Aerosol brown sweetish		
			Test method
pH-Value (at 20 °C):			DIN 19268
Changes in the physical state Boiling point or initial boiling point and boiling range:		-40 °C	
Flash point:		-80 °C	
Lower explosion limits: Upper explosion limits:		0,5 vol. % 15 vol. %	
Self-ignition temperature		10 001. 70	
Solid:		not applicable	
Gas:		not applicable	
Decomposition temperature:		not determined	

according to Regulation (EC) No 1907/2006

AB	BUS Pflegespray PS88 50ml und 125 ml D lose Ne	eu
Revision date: 26.01.2021	Product code: 1101071	Page 7 of 13
Oxidizing properties Not oxidising.		
Vapour pressure:	not determined	
Density (at 20 °C):	0,783 g/cm³	DIN 51757
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents not determined		
Partition coefficient n-octanol/wate	er: not determined	
Viscosity / kinematic:	< 7 mm²/s	
Flow time:	No information available.	
Relative vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	
Data apply to technical substance	: Relative density, Colour, Odour, Viscosity, pH.	

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88 50ml und 125 ml D lose Neu

Revision date: 26.01.2021

Product code: 1101071

Page 8 of 13

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
1174921-73- 3	Hydrocarbons, C9-C10,	n-alkanes, isoalkanes,	cyclics, <2% aromat	ics			
	oral	LD50 > 15000 mg/kg	Rat	Study report (1977)	OECD Guideline 423		
	dermal	LD50 > 5000 mg/kg	Rabbit	Study report (1993)	OECD Guideline 402		
	inhalation (4 h) vapour	LC50 > 4951 mg/l	Rat				
75-28-5	isobutane						
	inhalation vapour	LC50 1237 mg	/I Mouse.				
64742-48-9	Naphtha Petroleum Hydro treated Heavy						
	oral	LD50 >8000 mg/kg	Rat				
	dermal	LD50 >3160 mg/kg	Rabbit				
	inhalation (4 h) vapour	LC50 4951 mg	ı/I Rat				
106-97-8	butane						
	inhalation (4 h) gas	LC50 658 ppm	Rat	GESTIS			
1471316-72- 9	Benzenesulfonic acids, o	di-C10-14-alkyl derivativ	/es, calcium salts				
	oral	LD50 > 10000 < 20000 mg/kg	- Rat	Study report (1972)	Adult albino male Sprague-Dawley rats we		
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1989)	OECD Guideline 402		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

May be fatal if swallowed and enters airways.

Specific effects in experiment on an animal

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88 50ml und 125 ml D lose Neu

Revision date: 26.01.2021

Product code: 1101071

Page 9 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
1174921-73- 3	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics						
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 mg/l	>1000	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna		
	Fish toxicity	NOEC mg/l	0,182	28 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a
	Crustacea toxicity	NOEC mg/l	0,317	21 d	Daphnia magna	Company report (2010)	The aquatic toxicity was estimated by a
75-28-5	isobutane				-		
	Acute fish toxicity	LC50 mg/l	91,42	96 h	Fish, no other information	United States Environmental Protection A	The Ecosar class program has been develo
	Acute algae toxicity	ErC50 mg/l	19,37	96 h	Algae	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.
	Acute crustacea toxicity	EC50 mg/l	69,43	48 h	Daphnia sp.	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.
64742-48-9	Naphtha Petroleum Hydro	treated He	avy				
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 mg/l	>1000	96 h	Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna		
74-98-6	propane						-
	Acute fish toxicity	LC50 mg/l	49,9	96 h	Fish, no other information	United States Environmental Protection A	The Ecosar class program has been develo
	Acute algae toxicity	ErC50 mg/l	19,37	96 h	Algae	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.
	Acute crustacea toxicity	EC50 mg/l	69,43	48 h	Daphnia sp.	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.
106-97-8	butane						
	Acute fish toxicity	LC50 mg/l	49,9	96 h	Fish, no other information	United States Environmental Protection A	The Ecosar class program has been develo
	Acute algae toxicity	ErC50 mg/l	19,37	96 h	Algae	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.
	Acute crustacea toxicity	EC50 mg/l	69,43	48 h	Daphnia sp.	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.

according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88 50ml und 125 ml D lose Neu

Revision date: 26.01.2021

Product code: 1101071

Page 10 of 13

1471316-72-Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts 9 LC50 Acute fish toxicity > 100 96 H Oncorhynchus mykiss (Rainbow trout) mg/l Acute algae toxicity ErC50 > 1000 72 h Pseudokirchneriella Study report EPA OTS (1994) mg/l subcapitata 797.1050 Acute crustacea toxicity EC50 > 1000 48 h Daphnia magna Study report EPA OTS (1993) mg/l 797.1300 Study report OECD Guideline Acute bacteria toxicity (> 10000 mg/l) 3 hactivated sludge of a predominantly (1994) 209 domestic sewag

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-28-5	isobutane	1,09
74-98-6	propane	1,09
106-97-8	butane	1,09
1471316-72-9	Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts	> 6,91

BCF

CAS No	Chemical name	BCF	Species	Source
1174921-73-3	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	144,3	calculated	Other company data (
1471316-72-9	Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts	70,8	Fish, not further specified.	Study report (2013)

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88 50ml und 125 ml D lose Neu

Revision date: 26.01.2021

Product code: 1101071

Page 11 of 13

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number:	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
	-
<u>14.4. Packing group:</u> Hazard label:	- 2.1
Classification code:	2.1 5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2
Tunnel restriction code:	D
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2.1
14.4. Packing group:	-
Hazard label:	2.1
Marine pollutant:	no
Special Provisions:	63, 190, 277, 327, 344, 381,959
Limited quantity: Excepted quantity:	1000 mL E0
EmS:	F-D, S-U
Air transport (ICAO-TI/IATA-DGR)	1 0,00
<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS, flammable
14.3. Transport hazard class(es):	2.1
14.4. Packing group:	-
Hazard label:	2.1
Special Provisions:	A145 A167 A802
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y203
Excepted quantity:	E0
IATA-packing instructions - Passenger:	203

according to Regulation (EC) No 1907/2006

ABUS Pfl	egespray PS88 50ml und 125 ml D lose Neu			
Revision date: 26.01.2021	Product code: 1101071	Page 12 of 13		
IATA-max. quantity - Passenger:	75 kg			
IATA-packing instructions - Cargo:	203			
IATA-max. quantity - Cargo:	150 kg			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				
No information available.				
14.7. Maritime transport in bulk according to	o IMO instruments			
not applicable				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII):				
Entry 3, Entry 28				
2010/75/EU (VOC):	No information available.			
2004/42/EC (VOC):	No information available.			
Information according to 2012/18/EU (SEVESO III):	P3a FLAMMABLE AEROSOLS			
Additional information				
Safety Data Sheet according to Regula Aerosol directive (75/324/EEC)	tion (EC) No. 1907/2006 (REACH)			
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).			
Water hazard class (D):	1 - slightly hazardous to water			
SECTION 16: Other information				
-	the previous version in section(s): 1,2,6,7,8,9,10,11,15.			
Abbreviations and acronyms	des menshendiges den renouses neu Deuts (Europeen Armenneut			
concerning the International Carriage c	des marchandises dangereuses par Route (European Agreement f Dangerous Goods by Road)			
	nt le transport des marchandises dangereuses par chemin de fer			
	nal Transport of Dangerous Goods by Rail)			
IATA: International Air Transport Association				
IMDG: International Maritime Code for Dangerous Goods				
GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances				
ELINECS: European Inventory of Existin ELINCS: European List of Notified Che	-			
	sion of the American Chemical Society)			
DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level				

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits

TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88 50ml und 125 ml D lose Neu

Revision date: 26.01.2021

Product code: 1101071

Page 13 of 13

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Asp. Tox. 1; H304	Calculation method
STOT SE 3; H336	Bridging principle "Aerosols"
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: Calculation method.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)