

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product form : Mixture  
Trade name : Construction Pro SI, DBSA  
Article number : 00053090

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified uses**

Main use category : Consumer use, Professional use, Industrial use  
Use of the substance/mixture : Sealants

**1.3. Details of the supplier of the safety data sheet**

**Manufacturer**

fischerwerke GmbH & Co. KG  
Klaus-Fischer-Straße 1  
72178 Waldachtal  
Germany  
T +49(0)7443 12-0, F +49(0)7443 12-4222  
[info-sdb@fischer.de](mailto:info-sdb@fischer.de), [www.fischer.de](http://www.fischer.de)

**Distributor**

fischer fixings UK Ltd.  
Whitely Road  
Oxon OX10 9AT Wallingford  
United Kingdom of Great Britain and Northern Ireland  
T +44 14 91 82 79 00, F +44 14 91 82 79 53  
[info@fischer.co.uk](mailto:info@fischer.co.uk), [www.fischer.co.uk](http://www.fischer.co.uk)

**1.4. Emergency telephone number**

Emergency number : +49(0)6132-84463 (24h)

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Aquatic Chronic 3 H412  
Full text of hazard classes, H- and EUH-statements: see section 16

**Adverse physicochemical, human health and environmental effects**

No additional information available

**2.2. Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Signal word (CLP) : -  
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.  
Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P273 - Avoid release to the environment.  
P501 - Dispose of contents and container to Collection point.  
EUH-statements : EUH208 - Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane, 3-aminopropyltriethoxysilane. May produce an allergic reaction.

**2.3. Other hazards**

Contains PBTvPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
Substance(s) meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Decamethylcyclopentasiloxane (541-02-6), octamethylcyclotetrasiloxane; [D4] (556-67-2)( <sup>1</sup> )
Substance(s) meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Decamethylcyclopentasiloxane (541-02-6), octamethylcyclotetrasiloxane; [D4] (556-67-2)( <sup>1</sup> )

(<sup>1</sup>) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# Construction Pro SI, DBSA

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Decamethylcyclopentasiloxane (541-02-6), octamethylcyclotetrasiloxane; [D4] (556-67-2)( <sup>1</sup> )

(<sup>1</sup>) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
trimethoxyvinylsilane; trimethoxy(vinyl)silane	CAS-No.: 2768-02-7 EC-No.: 220-449-8 EC Index-No.: 014-049-00-0 REACH-no: 01-2119513215-52	1 - 5	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 (ATE=16.8 mg/l/4h) Skin Sens. 1B, H317
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	CAS-No.: 1335203-17-2 EC-No.: 934-956-3 REACH-no: 01-2119827000-58	≥ 1 - < 5	Asp. Tox. 1, H304
3-aminopropyltriethoxysilane	CAS-No.: 919-30-2 EC-No.: 213-048-4 EC Index-No.: 612-108-00-0 REACH-no: 01-2119480479-24	≥ 0.1 - < 1	Acute Tox. 4 (Oral), H302 (ATE=1780 mg/kg bodyweight) Skin Corr. 1B, H314 Skin Sens. 1, H317
Decamethylcyclopentasiloxane substance listed on REACH Candidate List PBT substance; vPvB substance	CAS-No.: 541-02-6 EC-No.: 208-764-9 REACH-no: 01-2119511367-43	≥ 0.1 - < 1	Not classified
methanol substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-44	≥ 0.1 - < 1	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 (ATE=0.5 mg/l/4h) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) STOT SE 1, H370
2-n-butyl-benzo[d]isothiazol-3-one (Active substance (Biocide))	CAS-No.: 4299-07-4 EC-No.: 420-590-7 EC Index-No.: 606-079-00-3 REACH-no: 01-0000016721-74	≥ 0.01 - < 0.1	Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
octamethylcyclotetrasiloxane; [D4] substance listed on REACH Candidate List (Octamethylcyclotetrasiloxane)	CAS-No.: 556-67-2 EC-No.: 209-136-7 EC Index-No.: 014-018-00-1 REACH-no: 01-2119529238-36	≥ 0.01 - < 0.1	Flam. Liq. 3, H226 Repr. 2, H361f Aquatic Chronic 1, H410 (M=10)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-44	(3 ≤ C < 10) STOT SE 2; H371 (10 ≤ C ≤ 100) STOT SE 1; H370

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

# Construction Pro SI, DBSA

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact	: Wash with plenty of soap and water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell. If possible, show the doctor this safety data sheet. Failing this, show the doctor the packaging or label. Wash out mouth with water and afterwards drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide (CO <sub>2</sub> ).
Unsuitable extinguishing media	: Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Emergency procedures	: Ventilate spillage area.
----------------------	----------------------------

#### For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Avoid contact with skin, eyes and clothing. Remove dirty clothes.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool.
Storage temperature	: 5 – 25 °C

### 7.3. Specific end use(s)

No additional information available

# Construction Pro SI, DBSA

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values

m e t h a n o l ( 6 7 - 5 6 - 1 )	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	Methanol
IOEL TWA	260 mg/m <sup>3</sup> 200 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Methanol
WEL TWA (OEL TWA)	266 mg/m <sup>3</sup> 200 ppm
WEL STEL (OEL STEL)	333 mg/m <sup>3</sup> 250 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.2. Exposure controls

##### Appropriate engineering controls

###### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### Personal protection equipment

###### Personal protective equipment symbol(s):



##### Eye and face protection

###### Eye protection:

Safety glasses

##### Skin protection

###### Skin and body protection:

Wear suitable protective clothing

###### Hand protection:

No specific measures are required provided the product is handled in accordance with the general rules of occupational hygiene and safety

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Chloroprene rubber (CR), Butyl rubber	3 (> 60 minutes)	-		

##### Respiratory protection

###### Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment

# Construction Pro SI, DBSA

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Various colours.
Appearance	: Paste.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: > 400 °C
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: 800000 mPa·s
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.02 g/cm <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified

# Construction Pro SI, DBSA

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute toxicity (inhalation) : Not classified

### **2-n-butyl-benzo[d]isothiazol-3-one (4299-07-4)**

LD50 oral rat > 2000 mg/kg  
LD50 dermal rat > 2000 mg/kg

### **trimethoxyvinylsilane; trimethoxy(vinyl)silane (2768-02-7)**

LD50 oral rat 7120 mg/kg (OECD 401 method)  
LD50 dermal rabbit 3760 mg/kg  
LC50 Inhalation - Rat 16.8 mg/l (OECD 403 method)

### **3-aminopropyltriethoxysilane (919-30-2)**

LD50 oral rat 1780 mg/kg  
LD50 dermal rabbit 3800 mg/kg

### **Decamethylcyclopentasiloxane (541-02-6)**

LD50 oral rat > 5000 mg/kg bodyweight (OECD 401 method)  
LD50 dermal rabbit > 2000 mg/kg bodyweight (OECD 402 method)  
LC50 Inhalation - Rat 8.67 mg/l air (OECD 403 method)

### **octamethylcyclotetrasiloxane; [D4] (556-67-2)**

LD50 oral rat ≈ 4800 mg/kg bodyweight (OECD 401 method)  
LD50 dermal rat > 17700 mg/kg  
LC50 Inhalation - Rat 36 mg/l (OECD 403 method)

### **Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics (1335203-17-2)**

LD50 oral rat > 5000 mg/kg bodyweight  
LD50 dermal rabbit > 3160 mg/kg bodyweight  
LC50 Inhalation - Rat > 5266 mg/l  
Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Skin sensitization: Not classified ((OECD 406 method); No sensitisation responses were observed). Respiratory sensitization: Not classified ((OECD 406 method); No sensitisation responses were observed).  
Additional information : May cause sensitisation of susceptible persons  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified

### **methanol (67-56-1)**

STOT-single exposure Causes damage to organs.  
STOT-repeated exposure : Not classified

### **3-aminopropyltriethoxysilane (919-30-2)**

LOAEL (oral, rat, 90 days) 600 mg/kg bodyweight  
NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight

### **Decamethylcyclopentasiloxane (541-02-6)**

NOAEL (oral, rat, 90 days) ≥ 1000 mg/kg bodyweight  
NOAEL (dermal, rat/rabbit, 90 days) ≥ 1600 mg/kg bodyweight

### **Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics (1335203-17-2)**

NOAEL (oral, rat, 90 days) > 5000 mg/kg bodyweight/day  
Aspiration hazard : Not classified

### **Construction Pro SI, DBSA**

Viscosity, kinematic Not applicable

# Construction Pro SI, DBSA

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>trimethoxyvinylsilane; trimethoxy(vinyl)silane (2768-02-7)</b>	
Viscosity, kinematic	0.7 mm <sup>2</sup> /s
<b>3-aminopropyltriethoxysilane (919-30-2)</b>	
Viscosity, kinematic	1.8 mm <sup>2</sup> /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)'
<b>Decamethylcyclopentasiloxane (541-02-6)</b>	
Viscosity, kinematic	3.7 mm <sup>2</sup> /s Temp.: 'other!' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)'
<b>octamethylcyclotetrasiloxane; [D4] (556-67-2)</b>	
Viscosity, kinematic	1.6 mm <sup>2</sup> /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)'

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

<b>trimethoxyvinylsilane; trimethoxy(vinyl)silane (2768-02-7)</b>	
LC50 - Fish [1]	> 92.2 mg/l Oryzias latipes (Ricefish)
EC50 - Crustacea [1]	168.7 mg/l Daphnia magna (Water flea)
EC50 72h - Algae [1]	> 957 mg/l Desmodesmus subspicatus
LOEC (chronic)	52.4 mg/l
NOEC (chronic)	28.1 mg/l
<b>3-aminopropyltriethoxysilane (919-30-2)</b>	
LC50 - Fish [1]	> 934 mg/l Brachydanio rerio (zebra-fish)
EC50 - Crustacea [1]	331 mg/l Daphnia magna (Water flea)
<b>Decamethylcyclopentasiloxane (541-02-6)</b>	
LC50 - Fish [1]	> 16 µg/l Oncorhynchus mykiss (Rainbow trout)
EC50 - Crustacea [1]	> 2.9 µg/l Daphnia magna (Water flea)
<b>octamethylcyclotetrasiloxane; [D4] (556-67-2)</b>	
LC50 - Fish [1]	> 22 µg/l Oncorhynchus mykiss (Rainbow trout)
EC50 - Crustacea [1]	> 15 µg/l Daphnia magna (Water flea)

### 12.2. Persistence and degradability

<b>Construction Pro SI, DBSA</b>	
Persistence and degradability	Not rapidly degradable
<b>2-n-butyl-benzo[d]isothiazol-3-one (4299-07-4)</b>	
Persistence and degradability	Not rapidly degradable
<b>trimethoxyvinylsilane; trimethoxy(vinyl)silane (2768-02-7)</b>	
Persistence and degradability	Rapidly degradable
<b>3-aminopropyltriethoxysilane (919-30-2)</b>	
Persistence and degradability	Not rapidly degradable
<b>Decamethylcyclopentasiloxane (541-02-6)</b>	
Persistence and degradability	Rapidly degradable
<b>methanol (67-56-1)</b>	
Persistence and degradability	Not rapidly degradable

# Construction Pro SI, DBSA

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### octamethylcyclotetrasiloxane; [D4] (556-67-2)

Persistence and degradability | Not rapidly degradable

### Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics (1335203-17-2)

Persistence and degradability | Rapidly degradable

## 12.3. Bioaccumulative potential

### Decamethylcyclopentasiloxane (541-02-6)

Partition coefficient n-octanol/water (Log Pow) | 5.2

## 12.4. Mobility in soil

### Decamethylcyclopentasiloxane (541-02-6)

Mobility in soil | 16000

## 12.5. Results of PBT and vPvB assessment

### Component

Substance(s) meeting the PBT criteria of REACH regulation, in accordance with Annex XIII | Decamethylcyclopentasiloxane (541-02-6), octamethylcyclotetrasiloxane; [D4] (556-67-2)<sup>(1)</sup>

Substance(s) meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII | Decamethylcyclopentasiloxane (541-02-6), octamethylcyclotetrasiloxane; [D4] (556-67-2)<sup>(1)</sup>

<sup>(1)</sup> Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.  
European List of Waste (LoW, EC 2000/532) : 20 00 00 - MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
<b>14.1. UN number or ID number</b>		
Not regulated for transport		
<b>14.2. UN proper shipping name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
Not regulated	Not regulated	Not regulated

No supplementary information available

# Construction Pro SI, DBSA

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.6. Special precautions for user

**Overland transport**  
Not regulated

**Transport by sea**  
Not regulated

**Air transport**  
Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations  $\geq 0.1\%$  or SCL: Decamethylcyclopentasiloxane (EC 208-764-9, CAS 541-02-6)

Contains substance(s) listed on the REACH Candidate List  $< 0.1\%$  or SCL: octamethylcyclotetrasiloxane; [D4] (EC 209-136-7, CAS 556-67-2).

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### Biocide Regulation (528/2012)

Contains substance(s) listed on the Biocidal Products list (Regulation EU 528/2012 concerning the making available on the market and use of biocidal products)

Type of product (Biocide) :

Contains : 2-n-butyl-benzo[d]isothiazol-3-one

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road

# Construction Pro SI, DBSA

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1

# Construction Pro SI, DBSA

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H361f	Suspected of damaging fertility.
H370	Causes damage to organs.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane, 3-aminopropyltriethoxysilane. May produce an allergic reaction.

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Aquatic Chronic 3	H412	Calculation method
-------------------	------	--------------------

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.