

Trade name :	
Revision date :	
Print date :	

Hair Remover Drain-free 21.07.2016 26.04.2017

Version (Revision) :

6.0.2 (6.0.1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 **Product identifier** Hair Remover Drain-free
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses
 - Washing and cleaning products (including solvent based products)

1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) Bio-Circle Surface Technology GmbH

Street : Berensweg 200 Postal code/city : 33334 Gütersloh Telephone : +49 5241 9443 0 Telefax : +49 5241 9443 44 Information contact : labor@bio-circle.de

1.4 Emergency telephone number

+49 5241 9443 51 during normal office hours

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed. Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage. Skin Corr. 1A ; H314 - Skin corrosion/irritation : Category 1A ; Causes severe skin burns and eye damage. Met. Corr. 1 ; H290 - Corrosive to metals : Category 1 ; May be corrosive to metals.

2.2 Label elements

```
Labelling according to Regulation (EC) No. 1272/2008 [CLP]
Hazard pictograms
```



Corrosion (GHS05) · E	Exclamation mark (GHS07)
Signal word	
Danger	
Hazard components for	or labelling
POTASSIUM HYDROX	IDE ; CAS No. : 1310-58-3
Hazard statements	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H302	Harmful if swallowed.
Precautionary stateme	ents
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell.
P330	Rinse mouth.
P331	Do NOT induce vomiting.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.



			MAKINO	G GREEN WORK.
Revis	e name : sion date : date :	Hair Remover Drain-free 21.07.2016 26.04.2017	Version (Revision) :	6.0.2 (6.0.1)
2.3	P303+P361+P353 P390 Other hazards None	IF ON SKIN (or hair): Take of water/shower. Absorb spillage to prevent ma	f immediately all contaminated clothing. Rinse aterial damage.	skin with
SEC	CTION 3: Composit	tion / information on in	gredients	
3.2	Weight fraction : Classification 1272/20 Additional informatio	XIDE ; REACH registration No. : 01 ≥ 25 - < 50 % 008 [CLP] : Met. Corr. 1 ; H29	-2119487136-33-XXXX ; EC No. : 215-181-3; CA 10 Skin Corr. 1A ; H314 Eye Dam. 1 ; H318 Acut	
SEC	TION 4: First aid	measures		
4.1 4.2 4.3	 General information When in doubt or if symptoms are observed, get medical advice. Following inhalation Remove casualty to fresh air and keep warm and at rest. In case of skin contact After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin. After eye contact After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. After ingestion Rinse mouth immediately and drink plenty of water. Call a physician immediately. 4.2 Most important symptoms and effects, both acute and delayed Causes severe skin burns and eye damage. H302 - Harmful if swallowed. 			
SEC	TION 5: Firefighti	na measures		
5.1	Extinguishing me Suitable extingui	dia shing media	02) Sand Nitrogen Extinguishing blanket	
5.2	-	rising from the substanc oustion products		
5.3	Advice for firefigh The product itself does from immediate hazard	i ters s not burn. Adapt extinguishing m d area if it can be done safely. Co	easures to suit the environment. Move undama llect contaminated fire extinguishing water sep ained breathing apparatus and chemical prote	parately. Do not
SEC	TION 6: Accidenta	al release measures		

6.1 Personal precautions, protective equipment and emergency procedures

Page : 2 / 8



Trade name :	Hair Remover Drain-free		
Revision date :	21.07.2016	Version (Revision) :	6.0.2 (6.0.1)
Print date :	26.04.2017		

Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water. Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep container tightly closed.

7.2 Conditions for safe storage, including any incompatibilities

Do not store together with Acid Keep/Store only in original container. Protect against Frost

Hints on joint storage Storage class (TRGS 510): 8B

7.3 Specific end use(s) Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls Personal protection equipment

Eye/face protection



Wear suitable safety goggles in case of splash. Suitable eye protection EN 166.

Skin protection

Hand protection



Wear protective gloves in case of longer lasting skin contact.

Suitable gloves type : EN 374.

Suitable material : NBR (Nitrile rubber)

Breakthrough time (maximum wearing time) : 480 min.

Thickness of the glove material : 0.4 mm

Remark : The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

General health and safety measures

Do not put any product-impregnated cleaning rags into your trouser pockets. When using do not eat, drink, smoke,



Trade name :	Hair Remover Drain-free		
Revision date :	21.07.2016	Version (Revision) :	6.0.2 (6.0.1)
Print date :	26.04.2017		

sniff. Avoid contact with skin, eyes and clothes. P362+P364 - Take off contaminated clothing and wash it before reuse. P264 - Wash hands thoroughly after handling.

8.3 Additional information

No tests have been performed. Selection made for preparations according to the best available knowledge and information on ingredients. In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance :	liquid					
Colour :	red					
Odour :	odourless					
Safety relevant	t basis data					
Initial boiling point	and boiling range	(1013 hPa)	>	100	C	
Flash point :				not relevant		
Ignition temperatur	e:			not relevant		
Lower explosion lin	nit :			not relevant		
Upper explosion lin	nit :			not relevant		
Density :		(20°C)	ca.	1,45	g/cm ³	
pH :				14		
Flow time :		(20°C)		not relevant		DIN-cup 4 mm
Maximum VOC con	tent (EC) :			0	Wt %	
Maximum VOC con :	tent (Switzerland)			0	Wt %	

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

Exothermic reaction with: Acid

10.2 Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

May cause strong formation of hydrogen by contact with amphoteric metals (e.g. aluminia, lead, zinc) - danger of explosion.

10.4 Conditions to avoid 50 - Do not mix with acids.

- 10.5 Incompatible materials Metal, base
- 10.6 Hazardous decomposition products Hydrogen

SECTION	 0.16	-	
	 OXICO	onica	
	 UNICU	u gicai	

11.1 Information on toxicological effects

Acute effects Acute oral toxicity

Parameter : Exposure route : LD50 (POTASSIUM HYDROXIDE ; CAS No. : 1310-58-3) Oral



Trade name : Revision date :	Hair Remover Drain-free 21.07.2016	Version (Revision) :	6.0.2 (6.0.1)
Print date :	26.04.2017		
Species :	Rat		
Effective dose :	365 mg/kg		
Method :	OECD 425		

11.2 Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

11.3 Other adverse effects

None

11.4 Additional information

Preparation not tested. The statement is derived from the properties of the single components.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Acute (short-term) fish toxicity

Parameter :	LC50 (POTASSIUM HYDROXIDE ; CAS No. : 1310-58-3)
Species :	Fish
Evaluation parameter :	Acute (short-term) fish toxicity
Effective dose :	80 mg/l
Exposure time :	96 h

12.2 Persistence and degradability

According to the recipe, contains no AOX. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

After neutralisation, reduction in toxic effects is observed.

SECTION 13: Disposal considerations

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. List of proposed waste codes/waste designations in accordance with EWC

13.1 Waste treatment methods

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

20 01 29* - detergents containing dangerous substances.

Waste code packaging

15 01 02 - plastic packaging.

Waste treatment options

Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Handle contaminated packages in the same way as the substance itself.

13.2 Additional information

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

Page : 5 / 8

Waste code product



Revis	name : Hair Remove ion date : 21.07.2016 date : 26.04.2017		Version (Revision) :	6.0.2 (6.0.1
EC	TION 14: Transport inform	ation		
4.1	UN number			
	UN 1760			
4.2	UN proper shipping name Land transport (ADR/RID) CORROSIVE LIQUID, N.O.S. (PC Sea transport (IMDG)			
	CORROSIVE LIQUID, N.O.S. (PO Air transport (ICAO-TI / IATA-DGI CORROSIVE LIQUID, N.O.S. (PO	R)		
4.3	Transport hazard class(es)	,		
-	Land transport (ADR/RID)			
	Class(es) :	8		
	Classification code :	C9		
	Hazard identification number (Kei			
	No.) : Tunnel restriction code :	80 E		
	Special provisions :	LQ 1 I · E 2		
	Hazard label(s) :			
		8		
	Sea transport (IMDG)			
	Class(es) :	8		
	EmS-No. :	F-A / S-B		
	Special provisions : Hazard label(s) :	LQ 11 · E 2 · Segreg	ation Group 18 - Alkalis	
		8		
	Air transport (ICAO-TI / IATA-DGI			
	Class(es) :	8		
	Special provisions : Hazard label(s) :	EO		
		8		
4.4	Packing group			
4.5	Environmental hazards Land transport (ADR/RID): No Sea transport (IMDG): No			
	Air transport (ICAO-TI / IATA-DG	•		
4.6	Special precautions for use None	ſ		

15.1 Safety, health and environmental regulations/legislation specific for the substance or

Page : 6 / 8

21.07.2016

Hair Remover Drain-free

Trade name :

Revision date :



6.0.2 (6.0.1)

Version (Revision) :

Print d	late: 26.04.2017
	mixture
	EU legislation
	Other regulations (EU)
	Labelling for contents according to regulation (EC) No. 648/2004
	< 5 % non-ionic surfactants
	National regulations
	AT: Labelling according to Austrian regulations (Chemikaliengesetz/ChemV). CH: Chemikalienverordnung (ChemV) and Chemikalien-Risikoreduktions-Verordnung (Chem RRV) are complied. Water hazard class (WGK)
	Class : 1 (Slightly hazardous to water) Classification according to VwVwS
	Other regulations, restrictions and prohibition regulations
	Betriebssicherheitsverordnung (BetrSichV)
	No flammable liquid according to BetrSichV.
15.2	Chemical Safety Assessment
	For this substance a chemical safety assessment has not been carried out.
SEC1	FION 16: Other information
16.1	Indication of changes
	02. Classification of the substance or mixture · 02. Label elements
16.2	Abbreviations and acronyms
	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX: adsorbable organohalogens CAS: Chemical Abstracts Service (division of the American Chemical Society) CLP: Classification Labelling and Packaging (Regulation (EC) No. 1272/2008) EAK / AVV: europäischer Abfallschlüsselkatalog (european waste catalogue) EINECS: European Inventory of Existing Commercial Chemical Substances GHS: Globally Harmonized System of Classifiaction and Labelling of Chemicals IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods RCP: reciprocal calculation procedure RID: Règlement international concernant le transport des marchandieses dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) TRGS: Technische Regel für den Umgang mit Gefahrstoffen VbF: Verordnung über brennbare Flüssigkeiten VOC: volatile organic compound VwWs: Verwaltungsvorschrift wassergefährdender Stoffe WGK: Wassergefährdungsklasse (water hazardous class)
16.3	Key literature references and sources for data
	DGUV: GESTIS-Stoffdatenbank ECHA: Classification And Labelling Inventory ECHA: Pregistered Substances ECHA: Registered Substances

- EC_Safety Data Sheet of Suppliers
- ESIS: European Chemical Substances Information System
- GDL: Gefahrstoffdatenbank der Länder
- UBA Rigoletto: Wassergefährdende Stoffe

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.



Trade name : Revision date : Print date : Hair Remover Drain-free 21.07.2016 26.04.2017

Version (Revision) : 6.0.2 (6.0.1)

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.