




Frameless
whiteboards
with own print
Requirements and
specifications





You wish to design your own board? If so, take the following into account in your design:

- The file must be delivered as follows:
 - Preferably a high resolution PDF, EPS or vector file.
 - Photos in TIF or EPS with minimum resolution of 150 dpi on 100%.
 - Always convert fonts to letter contours/outlines/curves.
 - Colours: CMYK (RGB and PMS colours must be converted to CMYK). Conversion to CMYK can cause a colour deviation. So where possible, base your design on CMYK.
 - Vor Adobe programmes we suggest using prepress 'Europe, prepress 3'
 - Colour profile CMYK: Coated FOGRA39 (ISO 12647-2:2004)
 - Colour profile RGB: AdobeRGB(1998)
- Ensure a bleed of 5 mm.
- Keep a margin of 10 mm on the inside. This box can be used for the functional print.
- Maximum dimensions of the printed board is: 1172x2975 mm.
- Extra costs are calculated if files need to be modified because they are not delivered according to the specifications.
- The delivered print files are always checked by our DTP department. If any part of the design needs to be modified, you will be informed accordingly. Your board will only be produced after you have approved the modification.

Sizes

Board size	Size print file
575 x 871 mm	595 x 891 mm
871 x 1172 mm	891 x 1192 mm
975 x 1475 mm	995 x 1495 mm
1172 x 1975 mm	1192 x 1995 mm

Specials

Determining the size of the print files for different board formats (specials) can be easily calculated in 2 ways.

Example calculations specials:

Desired board size: 65x183 cm

Size print file = board size + 2 cm (10 mm all round)

65x183 cm + 2 cm = 67x185 cm

Do you need help with designing your print file?

Our graphic designers are eager to help you with designing your print file. We can prepare the print file according to your sketch and specifications at an additional cost.

Ask us and send us your design for your personalised print!

